

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO27510	All Receipt Dates	All Line Item Types
-------------	---------------	-------------------	---------------------

All Item ID/GL/WOs	All Rec. Employees	All Currencies
--------------------	--------------------	----------------

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor-ID/Vendor Name VC-MAR001 Marmon/Keystone Canada Ltd.											
PO27510	1		M6061T6T0.375W.0 f 58	f	2/25/2015	2/25/2015	200.0000	\$1.53	0.0000	0	\$306.81
CAD	No		6061-T6 RD Tube .375 x.058W m131660	f	200.0000	DCUSER		\$306.81	0.0000	0	
	2		M6061T6T0.500W.0 f 58	f	2/25/2015	2/25/2015	200.0000	\$1.67	0.0000	0	\$333.56
	No		6061-T6 RD Tube .500 x.058W m131660	f	200.0000	DCUSER		\$333.56	0.0000	0	
	3		71401-45		2/25/2015	2/25/2015	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m131660		1.0000	DCUSER		\$0.00	0.0000	0	
Total Received Quantity:											401.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$640.38
Total Balance Due Quantity:											0.0000



Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay
Boucherville QU CAN J4B 5X9
TEL. 514/527-9153
FAX. 450/641-4357

PAGE...: 1
Order : 1156700
Date...: 02/23/2015

PACKING SLIP

SOLD TO: _____

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO: _____

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VIA.....: TST OVERLAND #222212
F.O.B.....: BOUCHERVILLE
YOUR ORDER NO.....: PO27510

SALESPERSON.....: C. Gee

	Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
		Fax all papers to Linda Lacelle 613-632-1053 rev:01/11 GD			
01	200 /FT	ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T0.375W.058 HT#.....: F00135847 Total...	17 17	204/FT 204/FT	/
02	200 /FT	ALUMINUM SMLS TUBE ATS .500 .058 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T0.500W.058 HT#.....: F00138437 Total...	17 17	204/FT 204/FT	/ 15/02/25 SJP

Packaging:

Total Weight.....: 33.3

Customers.: _____



A Marmon Distribution Services/Berkshire Hathaway Company

KAISER
ALUMINUM
FABRICATED PRODUCTS*Best in Class***CERTIFIED TEST REPORT**<http://Online.KaiserAluminum.com>KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 61-30091-2		CUSTOMER PART NUMBER: AT/.375.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 212283	LINE ITEM: 002	SHIP DATE: 01/12/2013	KAISER LOT NUMBER: F00135847	ALLOY: 6061	TEMPER: T8
WEIGHT SHIPPED: 634.000 LB	QUANTITY: 781.000 PCS	B/L NUMBER: 212932	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 306 BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00135847	0001	1	44.9	42.2	10.0	N/A	N/A	N/A
F00135847	0002	1	45.9	42.9	10.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Na	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D71122	.65	.33	.23	.06	.97	.08	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA

OD: 0.375" Wall: 0.058" Round @

AMS-4082P ASTM B210-12 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

DAS
14
9-89

15/02/28

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Plant Serial: 00014553
Kaiser Order Number: 212283
Line Item: 002

**KAISER
ALUMINUM**
FABRICATED PRODUCTS

*Best in
Class*

CERTIFIED TEST REPORT


<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



Q.C. Reviewed
5/03/04/13

Plant Serial: 00014553
Kaiser Order Number: 212283
Line Item: 002

KAISER ALUMINUM

FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: 61-30196-1		CUSTOMER PART NUMBER: AT7.5.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 635689	LINE ITEM: 001	SHIP DATE: 03/04/2013	KAISER LOT NUMBER: F00138437	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 691.000 LB	QUANTITY: 606.000 PCS	B/L NUMBER: 805670	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

DAS
14
9-89

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS(KSI)	YTS(KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00138437	0001	1	44.7	41.3	13.5	N/A	N/A	N/A
F00138437	0002	1	45.6	42.4	14.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D71122	.65	.33	.23	.06	.97	.08	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 0.500", Wall: 0.058", Round @
AMS-4082P, ASTM B210-12, WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

MARMON / KEYSTONE	
Q.C. REVIEWED	
DATE	INITIAL
1/10/14	<i>[Signature]</i>

Plant Serial: 00080269
Kaiser Order Number: 635689
Line Item: 001

**KAISER
ALUMINUM
FABRICATED PRODUCTS***Best in Class***CERTIFIED TEST REPORT**<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Calvin Latting, Quality & Technology Manager

Calvin Latting

Plant Serial: 00080269

Kaiser Order Number: 635689

Line Item: 001

Page 2 of 2

KAISER

ALUMINUM

FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: 61-30196-1		CUSTOMER PART NUMBER: AT/5.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 635689	LINE ITEM: 001	SHIP DATE: 03/04/2013	KAISER LOT NUMBER: F00138437	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 691.000 LB	QUANTITY: 606.000 PCS	B/L NUMBER: 605670	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00138437	0001	1	44.7	41.3	13.5	N/A	N/A	N/A
F00138437	0002	1	45.6	42.4	14.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ba	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D71122	.65	.33	.23	.06	.97	.08	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 0.500"; Wall: 0.058"; Round @
AMS-4082P ASTM B210-12 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

Q.C. Reviewed
5/20/17/13

Plant Serial: 00080269
Kaiser Order Number: 635689
Line Item: 001

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 46061-T6
 RECEIVED BY: _____
 DATE: 15/02/28
 P/O# 2750
 QUANTITY ORDERED: 200
 THICKNESS ORDERED: .500 X .058W
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: 46
 QUANTITY RECEIVED: 204
 THICKNESS RECEIVED: .500 X .058W
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>14</u>	BY: _____
DATE: <u>9-89</u> <u>15/02/28</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 76061-T6
 RECEIVED BY: _____
 DATE: 15/02/25
 P/O#: 27510
 QUANTITY ORDERED: 200
 THICKNESS ORDERED: .375XW-.058
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 204
 THICKNESS RECEIVED: .375XW-.058
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
INCORRECT FINISH	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
CORROSION	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
INCORRECT GRAIN DIRECTION	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
INCORRECT MATERIAL	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
INCORRECT THICKNESS	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>14</u>	BY: _____
DATE: <u>9-8 15/02/28</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO27510**

Purchase Order Date 2/20/2015

PO Print Date 2/20/2015

Page Number 1 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name

Vendor Phone

800 361 8142

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

TST ground

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
	Line Comments		Promise Date				
	Delivery Comments						
1	M6061T6T0.375W.058	6061-T6 RD Tube .375 x.058W	2/25/2015		200.00	\$1.95	\$390.00
			Yes		f		
			2/25/2015				
	MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241						
						Line Total:	\$390.00
2	M6061T6T0.500W.058	6061-T6 RD Tube .500 x.058W	2/25/2015		200.00	\$2.12	\$424.00
			Yes		f		
			2/25/2015				
	MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241						
						Line Total:	\$424.00

Note:

2/20/2015